

1 FIRST FLOOR PLAN
G0.2

1/16" = 1'-0"

SECOND FLOOR PLAN
G0.2

1/16" = 1'-0"

CODE SUMMARY

PROJECT DATA:		OCCUPANT LOAD-SEE DSA APP	L.# 105227	' EXIT WIDTHS — SEE DSA A	PPLICATION	# 105227		EXISTING SIGNAGE — SEE DSA APPLICATION # 10522	NOTE:
PROJECT ADDRESS	CANADA COLLEGE BUILDING 3 4200 FARM HILL BLVD. REDWOOD CITY, CA 94061	BASEMENT FIRST FLOOR	81 OCC 1,545 OCC	3'-0" DOOR OPNG ACCOMMODATES 6'-0" DOOR OPNG ACCOMMODATES		'-0" STAIR WIDTH ACCOMMODATES 4" STAIR WIDTH ACCOMMODATES	280 OCC 147 OCC	TYPE S1: INTERNATIONAL SYMBOL OF ACCESSIBILITY TO BE PROVIDED AT ACCESSIBLE ENTRIES. OF THE REPORT OF THE RE	1. 1 HOUR OCCUPANCY SEPARATION IS REQUIRED BETWEEN CHILLERS, BOILERS AND ELECTRICAL EQUIPMENT—PROVIDED
SEISMIC ZONE	ZONE 4	SECOND FLOOR TOTAL OCCUPANT LOAD:	198 OCC 1,824 OCC	MAIN THEATER SEATING	REQUIRED	PROVIDED		2. TYPE S2: POSTING OF ROOM CAPACITY TO BE PROVIDED AT A2 AND A3 OCCUPANCIES PER OCCUPANT LOAD NOTED ON EXITING PLAN.	2. PROVIDED TWO MEANS OF EGRESS ARE REQUIRED FROM THI BOILER ROOM— PROVIDED
CONSTRUCTION TYPE OCCUPANCY TYPE	TYPE I FIRE RESISTIVE BUILDING B, A2, A3 63,299 OGSF AREA ALLOWABLE: UNLIMITED FIRE SPRINKLER SYSTEM IN STORAGE ROOMS, MECHANICAL ROOMS, AND HIGH BAY SPACE OF THE MAIN THEATER AND SCENE SHOP, AND BASEMENT, SMOKE DETECTORS EXISTING IN HVAC SYSTEM, AND PULL BOXES EXISTING IN CORRIDOR. FIRE ALARM SYSTEM FOR THIS BUILDING HAS BEEN UPGRADED AS PART OF AN OVERALL CAMPUS FIRE ALARM UPGRADES PROJECT PER ADA AND THE NATIONAL FIRE CODE DSA APP# 105931	A3 OCCUPANCY CHORAL REHEARSAL RM.	T7 0CC	ACCESSIBLE SEATING AREA: (AT MORE THAN ONE LOCATION)	7	7 SPACES		3. TYPE S3, S4, S5 ,S6: ACCESSIBLE TOILETS PROVIDE SIGNAGE ON DOOR AND ADJACENT TO DOOR.	OCCUPANCY:
AREA			94 OCC 144 OCC	ACCESSIBLE COMPANION SEATS: 7 7 FIXED SPACES	4. TYPE S7, 7A: ASSISTIVE LISTENING SYSTEM AVAILABLE FOR FLEX THEATER AND MAIN THEATER.	CHILLER ROOM OCC - H7			
FIRE PROTECTION		ORCHESTRA PIT GALLERY	81 OCC	AISLE SEATING SEMIAMBULANT SEATING	1% OR 6 1% OR 6	6 SEATS 8 SEATS, FRONT ROW, AN UPPER LEVEL COMPANION		 5. TYPE S8: AVAILABILITY OF AISLE SEATING POSTED IN THE TICKET OFFICE. EACH AISLE SEATING LOCATION IDENTIFIED BY 1 1/2" RED REFLECTOR ON SEAT ARMREST. 6. TYPE S9: SIGNAGE AT CALL BUTTONS WHERE INDICATED. NOTING ASSISTANCE REQUIRED FOR HANDICAP ACCESS TO LOWER LEVEL 	BOILER ROOM OCC — B ELECTRICAL ROOM OCC — B
			212 OCC	ASSISTIVE LISTENING SYSTEM	4% OR 21		SLATS		
		A3 TOTAL OCCUPANT LOAD: B TOTAL OCCUPANT LOAD:	687 OCC 432 OCC	MAIN THEATER: TOTAL NUMBER OF SEATS 516 READILY REMOVEABLE SEATS MAY BE INSTALLED IN WHEELCHAIR SPACES WHEN THE SPACES ARE NOT REQUIRED TO ACCOMMODATE WHEELCHAIR USERS.				OF MAIN THEATER. 7. SIGNAGE TYPE S10, S10A: ROOM NAME SIGNAGE FOR BASEMENT RESTROOMS, NON-ACCESSIBLE NOTED. 8. SIGNAGE TYPE S11: FOR COMPANION SEAT, TO RELINQUISH SEAT FOR COMPANION UPON REQUEST.	THEATRE OCC - A1 REQUIRED OCC SEPARATIONS: H7/B - 1 HOUR H7/A1 - 4 HOUR
		A2 STAGE OCCUPANT LOAD: A2 MAIN THEATER OCCUPANT LOAD:	157 OCC 532 OCC						
		TOTAL OCCUPANT LOAD:	1,824 OCC	FLEX THEATER SEATING				9. SIGNAGE TYPE S12: AUTHORIZED ACCESS, AT EXISTING PIT, SEE DETAIL 25/A9.1	
				ACCESSIBLE SEATING AREA: (AT MORE THAN ONE LOCATION)	4	4 SPACES		10. SIGNAGE TYPE S14: ROOM NAME AND NUMBER SIGNAGE ALL TO BE N.I.C.	
				ACCESSIBLE COMPANION SEATS:	4	4 FIXED SEATS			
		NOTE: THE WORK OF THIS PROJECT DOES NOT AFFECT THE BUILDING OCCUPANT LOAD	-	AISLE SEATING	1% OR 1	1 SEAT			
				SEMIAMBULANT SEATING	1% OR 2	2 SEATS, FRONT ROW			
		OR THE BUILDING USE CALCULATION ABOVE IS FROM DSA APP. #105227		ASSISTIVE LISTENING SYSTEM FLEX THEATER: TOTAL NUMBER OF SEATS 106 I	4% OR 4 MAX.	4 (SHARED WITH MAIN THI CONFIRMED W/DSA, B.R.)			

REN. 12/31/05 NO. C15916 STATE OF CALLFORNIA IDENTIFICATION STAMP
DIVISION OF THE STATE ARCHITEC
FILE # 41-C1 Canada College Modernization

Code Summary