

JOHN CARL WARNECKE AND ASSOCIATES
ARCHITECTS AND PLANNING CONSULTANTS
 51 NEW MONTGOMERY STREET
 SAN FRANCISCO


ROBERT THOMPSON
 STRUCTURAL ENGINEER
 1000 CALIFORNIA STREET
 SAN FRANCISCO

MATTHEW J. MATEO
 CIVIL ENGINEER
 1000 CALIFORNIA STREET
 SAN FRANCISCO

COLLEGE OF SAN MATEO
 SAN BRUNO, CALIFORNIA

SCALE AS NOTED
 JOB NO. 1304
 DATE JAN 16, 1967
 SHEET NUMBER
 SA18

OF 26 SHEETS
 REVISION NO.




ESA18 APPROX. WT. 11.1 K
 $\frac{3}{4} \times 140$ at (1)


DSA18 APPROX. WT. 63.5 K
 $\frac{3}{4} \times 140$ at (1)

BSA18 APPROX. WT. 63.5 K
 $\frac{3}{4} \times 140$ at (1)


ASA18 APPROX. WT. 12.5 K
 $\frac{3}{4} \times 140$ at (1)



EASA18 $\frac{3}{4} \times 140$




DCSEA18 $\frac{3}{4} \times 140$



Provides temporary support for precast panels; do not remove until slab has attained 28 day strength

CONC. 3750 P.S.I. R.W.



ABSA18 $\frac{3}{4} \times 140$