


1 UTILITY CONCRETE CAP N.T.S.



**STORM DRAINAGE NOTES**

- 1 RECONNECT TO (E) SD. EXACT LOCATION AND INVERT V.I.F.
  - 2 FOR ALL STORM DRAIN LATERALS, SEE P-201 INSIDE BUILDING.
  - 3 CONNECT STORM DRAIN LATERAL TO SUBDRAIN SYSTEM. COORDINATE & SEQUENCE WORK WITH BUILDING FOUNDATION CONSTRUCTION.
  - 6a WORK TO BE COMPLETED PRIOR TO EXCAVATION PER SITE SEQUENCING NOTE 6d AS SHOWN ON SHEET C-301.
  - 10 WORK TO BE COMPLETED AFTER BACKFILL PER SITE SEQUENCING NOTE 10 AS SHOWN ON SHEET C-301.
1. ALL STORM DRAINAGE SYSTEM SHALL BE IN ACCORDANCE WITH THE LATEST SAN MATEO COUNTY COMMUNITY COLLEGE DISTRICT STANDARD PLANS AND SPECIFICATIONS, AND SHALL BE SUBJECT TO INSPECTION BY THE DEPARTMENT.
  2. STORM DRAIN TIE-IN WILL BE AT A NEW SDMH #303, DISPOSING TO THE (E) 27"SD AT THE SOUTHEAST CORNER OF BAN.
  3. SD REFERENCE DRAWINGS:  
DEMOLITION PHASING PLAN C-301  
C-301
  4. PIPE SIZES ARE AS SHOWN ON PLAN.
  5. SD PIPES SHALL BE SLOPED AT S=0.0200 MIN. UNO.
  6. PIPE MATERIALS  
• ALL SD PIPES SHALL BE ASTM D3034, SDR-35 PVC PIPE, UNO.
  7. PROVIDE AND INSTALL ALL APPURTENANCES FROM TIE-IN TO 5' OUTSIDE OF BUILDING.
  8. ALL RISERS TO AREA DRAINS ARE 6" UNLESS NOTED OTHERWISE.

**SD STRUCTURE CALLOUT**

STRUCTURE ID	NORTHING	EASTING	TYPE	SPECIAL	DETAIL
			SMCCCD SPECIFIED (OR APPROVED EQUAL)	TRAFFIC ADA LOCK	
SDCO 301A	2,058,087.1073	5,992,216.6889	CHRISTY BOX MODEL 05		4 (C-301)
SDCO 206	2,057,994.5559	5,992,267.3154	CHRISTY BOX MODEL 05		4 (C-301)

STRUCTURE ID	NORTHING	EASTING	TYPE	SPECIAL	DETAIL
			SMCCCD SPECIFIED (OR APPROVED EQUAL)	TRAFFIC ADA LOCK	
CB 202A	2,058,043.5379	5,992,064.9640	CATCH BASIN MODEL EX		5 (C-301)
CB 301A	2,058,178.9522	5,992,213.8505	CATCH BASIN MODEL EX		5 (C-301)

STRUCTURE ID	NORTHING	EASTING	TYPE	SPECIAL	DETAIL
			SMCCCD SPECIFIED (OR APPROVED EQUAL)	TRAFFIC ADA LOCK	
SDMH 201	2,058,170.3504	5,991,936.3641	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY	X X	6 (C-301)
SDMH 202	2,058,145.3572	5,991,991.6979	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY		6 (C-301)
SDMH 203	2,057,817.7341	5,992,118.7891	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY	X X	6 (C-301)
SDMH 204	2,057,801.6796	5,992,141.0225	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY	X X	6 (C-301)
SDMH 205	2,057,953.7120	5,992,225.5577	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY	X	6 (C-301)
SDMH 207	2,058,013.5389	5,992,322.5736	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY	X	6 (C-301)
SDMH 301	2,058,100.9028	5,992,230.0717	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY		6 (C-301)
SDMH 302	2,058,134.7516	5,992,293.9546	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY		6 (C-301)
SDMH 303	2,058,054.6505	5,992,343.3563	48" DIAMETER PRECAST ECCENTRIC MANHOLE ASSEMBLY	X X	6 (C-301)

STRUCTURE ID	NORTHING	EASTING	TYPE	SPECIAL	DETAIL
			SMCCCD SPECIFIED (OR APPROVED EQUAL)	TRAFFIC ADA LOCK	
AD 202B	2,057,990.9898	5,992,129.2689	ZURN MODEL - 2W-2428-1-10B	X	7 (C-301)

**LEGEND & ABBREVIATION**

ABBR.	SYMBOL	DESCRIPTION	DETAIL
SDMH	●	STORM DRAIN MANHOLE	6 (C-301)
SD	—	STORM DRAIN PIPE	2 (C-301)
AD	●	AREA DRAIN	-
CB	■	CATCH BASIN	5 (C-301)
	////	REMOVE OR ABANDON (E) PIPE	-
SD	— (E)	(E) STORM DRAIN PIPE	-
CO	●	STORM DRAIN CLEAN OUT	4 (C-301)

**REFERENCE**

