



ENTRY RAMP AND LANDING SPECIFICATIONS
 EACH BUILDING SHALL HAVE A RAMP AND LANDING TO CONFORM TO TITLE 24 CCR SECTIONS 1006 AND 1007. THE RAMP AND LANDING STRUCTURES INCLUDING HANDRAIL AND WHEEL GUIDES ARE TO BE PREFABRICATED METAL IN SECTIONS THAT ARE DEMOUNTABLE FOR MOVING AND REINSTALLATION AT A NEW SITE.
 DESIGN SHALL BE SUCH THAT HEIGHT ADJUSTMENT CAN BE MADE AT THE INSTALLATION SITE. TUBING SHALL BE STEEL CONFORMING TO ASTM A500 GRADE B. THE RAMP SURFACE SHALL BE 3/4" MARINE GRADE PLYWOOD. RAMP AND LANDING SHALL HAVE A NON-SKID SURFACE FINISH APPLIED. NON-SKID FINISH SHALL BE AMCOE GRIP II MANUFACTURED BY AMERICAN CHEMICAL CO. OR EQUIVALENT. ALL RAMP SURFACES SHALL BE PAINTED AS INDICATED IN SECTION 3.3.19. RAMP SHALL HAVE HANDRAILS ON BOTH SIDES. WALL MOUNTED HANDRAILS SHALL BE OF SIMILAR CONSTRUCTION TO THE INTEGRAL RAMP HANDRAIL.
 RAMP AND LANDING SHALL BE FULLY SKIRTED WITH THE SAME MATERIAL USED FOR BUILDING SKIRT. SIDES OF RAMP AND LANDING THAT DO NOT ADJOIN BUILDING WALL SHALL BE SKIRTED. ALL EDGES OF THE PLYWOOD SKIRT SHALL BE SUPPORTED AND PROTECTED FROM WEATHER. FOUNDATION MEMBERS SHALL BE AS FOR BUILDING FOUNDATION. ONLY THE FOUNDATION PAD RESTING ON GRADE MAY EXTEND BEYOND THE OUTSIDE FACE OF THE SKIRT 1" MAXIMUM.

FLOOR DECKING:
 3/4" MARINE EXT APA 48/24 PLYWOOD W/ NON-SKID SURFACE (SEE ALTERNATE) DECK SURFACES SHALL BE SEALED ON ALL SIDES. FASTENED TO STEEL FLOOR MEMBERS WITH #10-24 X 1 1/4" LONG PLY-METAL TYPE SCREWS @ 12" O.C.
 ALT. FLOOR DECKING:
 1. 11 GA SHEET METAL WITH NON-SKID SURFACE.

GROUNDING OF BUILDING COMPONENTS:
 CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING NECESSARY CONNECTORS TO GROUND THE METAL PORTIONS OF THE BUILDING (I.E. FRAME, RAMP, ETC.) GROUNDING ROD, WIRES AND TESTING SHALL BE PROVIDED BY OTHERS AND MEET THE REQUIREMENTS OF I.R. M-5 ISSUED BY DSA.

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 02 101835
 AC FLS SS
 DATE JAN 1 2 2000

IDENTIFICATION STAMP
 DIV. OF THE STATE ARCHITECT
 OFFICE OF REGULATION SERVICES
 02 102930
 AC FLS SS
 DATE OCT 20 1999

48 x 40 RELOCATABLE CLASSROOM

American Modular Systems

RAMP PLAN, ELEVATIONS AND DETAILS

CUSTOMER:

DATE: 10/18/99
SCALE: AS NOTED
DRAWN BY: PWD
DESIGNED BY: MOB
CHECKED BY: KAL
SERIAL NO.:

REVISIONS

NO	DATE	DESCRIPTION	NO	DATE	DESCRIPTION

PROJECT No. 99108
SHEET No. S5R

M:\99108\ACAD\STRUC\S5R.dwg 10-18-99 10:11:16 am EST