
SAN MATEO COUNTY

Skyline SAN MATEO CA 94402



KEYNOTES

- 1. (E) FURRED COLUMN W/ NEW PAINT.
- INFILL (E) OPENING TO MATCH ADJACENT WALL CONSTRUCTION AND RATING.
- 3. CASEWORK, 34" HEIGH. SEE INTERIOR ELEVATIONS.
- 4. MDF.
- 5. IDF.

(E)CORR.

2111B

(E)STORAGE

5'-6" TYP.

(17) TYP.

(E)CORR.

1/4" = 1'-0"

39'-8"

-36X60- ----

36X60

4 (A3.01) 2

-36X60-----

36X60

36X60

2) ROOM 2108 FLOOR PLAN

1/4" = 1'-0"

-36X60 - ---

36X60

(E)CLASSROOM

2108

36X60

5'-6" TYP.

ROOM 2111 FLOOR PLAN

36X60

36X60

(17) TYP.

(13)TYP. (12)TYP.

36X60X34H

36X60

(E)CLASSROOM

36X60

3'-8" MIN.

(E)CORR.

(E)VEST


(E)JAN 2116 36X60


A3.01 5

4 < A3.01 > 2

36X60


- 6. ELECTRICAL POWER POLE, S.E.D.
- 7. MEDIA CABINET FURNITURE BY OWNER
- 8. 4'X12' TOP MOUNTED SLIDING MARKER BOARD W/ WALL ABOVE, SEE INTERIOR ELEVATION ON SHEET A3.01.
- 9. 8' PROJECTOR SCREEN, SEE DETAIL 14/A5.02.
- 10. CASEWORK AND SHELVING, SEE ELEVATION ON SHEET A3.01..
- 11. ROOM SUB ELECTRICAL PANEL, S.E.D.
- 12. 4'X8' FIRE RETARDANT TREATED PLYWOOD BACK BOARD, PROVIDE BACKING, TYP.
- 13. 19"X24" RACKS.
- 14. 4 12"X22" RACKS.
- 15. OVERHEAD CABLE TRAY AT +8'-6" A.F.F. S.E.D.
- 16. FURRED WALL AT COLUMNS.
- 17. 36X60 STUDENT WORKSTATION, (BY OTHERS). PROVIDE MIN. ONE ACCESSIBLE WORKSTATION WITH COUNTER HEIGHT OF 28"MIN. TO 34"MAX.
- 18. PROJECTOR MOUNT AT CEILING. SEE DETAIL 12/A5.02.
- 19. 30X60 TABLE, (BY OTHERS).
- 20. 4'X12' WALL MOUNTED SLIDING MARKER BOARD. SEE DETAIL 7/A5.01.
- 21. SURFACE MOUNTED FIRE EXTINGUISHER WITH WALL CABINET.
 FEC 2A/OBC FIRE EXTINGUISHER, PROVIDE VALID CERTIFICATION TAG.





	APPL. # 01–108576 AC	
	02.02.07	DSA SUBMITTA
	03.14.07	DSA BACKCHE
·		
:		

rev.	date	iss



A2.01

FLOOR PLANS