



SHEET NOTES:

1. ALL CHILLED WATER PIPING 3" AND SMALLER AND HEATING HOT WATER PIPING SHALL BE TYPE L COPPER.
2. ALL CHILLED WATER PIPING SHALL BE TYPE L COPPER SCHEDULE 40 STEEL WITH VICTALIC FITTINGS.
3. ALL CHILLED AND HEATING HOT WATER PIPING SHALL BE INSULATED PER THE REQUIREMENTS OF TITLE 24. PROVIDE PROTECTIVE COATING FOR PIPE INSULATION IN EQUIPMENT ROOMS.
4. ALL PIPING SHALL BE SUPPORTED AND BRACED PER THE REQUIREMENTS OF DSA. REFER TO 13.A.T. DRAWINGS FOR DETAILED REQUIREMENTS.
5. REFER TO PIPING DETAILS 14.01 FOR MECHANICAL EQUIPMENT CONNECTION.



McCarthy Building Companies, Inc.
 343 Sanson Street, 14th Floor
 San Francisco, California 94104
 P 415 397-5999
 F 415 397-5999

IDENTIFICATION STAMP
 DIVISION OF THE STATE
 APPL. ARCHITECT
 ACC. FLS. SS
 DATE _____



WESTERN ALLIED MECHANICAL INC.
 MECHANICAL CONTRACTORS
 1815 COMPTON STREET
 SAN FRANCISCO, CA 94109
 (415) 397-5999 FAX
 (415) 397-5999 FAX
 E-MAIL: SALES@WA-MECHANICAL.COM
 WWW.WA-MECHANICAL.COM

This drawing is the exclusive property of Western Allied Mechanical, Inc. The contractor shall retain the original drawings and shall remain the property of Western Allied Mechanical, Inc. The contractor shall not reproduce, copy, or disseminate the original print or copies thereof, nor shall the contractor be permitted to use the drawings for any other project without the written consent of Western Allied Mechanical, Inc. Any reproduction of the drawings without the written consent of Western Allied Mechanical, Inc. constitutes a violation of the terms of the contract.

College of San Mateo Building 5N
 DSA Submittal
 San Mateo, CA
 Developed for College of San Mateo

Revision	Description	Date

Revision	Description	Date

Job No.	118951
Date	June 13, 2008
Drawn by	RJ
Checked by	LV
Scale	SEE DRAWING
FLOOR PLAN - LEVEL 3 WEST	
M2-05P	



1
Floor Plan - Level 3 West - Piping
 Scale: 1/8"=1'-0"

