

**CSM Custodial Staffing Summary Report**

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
<b>Building # 1</b>													
Classroom with Hard Floor	0	8,500	0.00	16,700	0.00	26,500	0.00	39,500	0.00	45,600	0.00	59,022	0.00
Entranceway	674	4,300	0.16	7,500	0.09	20,700	0.03	20,700	0.03	35,000	0.02	16,429	0.04
Office with Carpet Floor	5,522	9,600	0.58	12,100	0.46	3,200	1.73	36,000	0.15	49,500	0.11	64,336	0.09
Public(Circulation) with Hard Floor	3,408	7,500	0.45	20,500	0.17	30,500	0.11	38,400	0.09	41,800	0.08	44,056	0.08
Stairwell	976	7,500	0.13	15,100	0.06	17,400	0.06	24,500	0.04	75,300	0.01	23,880	0.04
Storeroom	1,889	77,000	0.02	210,000	0.01	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Office with Hard Floors	8,704	8,400	1.04	14,600	0.60	25,100	0.35	36,000	0.24	49,500	0.18	42,591	0.20
Washroom - Heavy Use	415	1,000	0.42	1,300	0.32	1,300	0.32	1,300	0.32	1,300	0.32	4,583	0.09
Utility	267	4,100	0.07	5,500	0.05	9,800	0.03	17,700	0.02	45,700	0.01	0	0
Patient Treatment Room with Hard Floor	212	2,900	0.07	2,900	0.07	2,900	0.07	2,900	0.07	2,900	0.07	12,039	0.02
Nursing Station	414	5,700	0.07	5,700	0.07	5,700	0.07	5,700	0.07	5,700	0.07	29,217	0.01
<b>Subtotal:</b>	<b>22,481</b>		<b>3.00</b>		<b>1.90</b>		<b>2.77</b>		<b>1.04</b>		<b>0.87</b>		<b>0.57</b>
<b>Building # 2</b>													
Classroom with Hard Floor	6,646	8,500	0.78	16,700	0.40	26,500	0.25	39,500	0.17	45,600	0.15	59,022	0.11
Entranceway	28	4,300	0.01	7,500	0.00	12,300	0.00	20,700	0.00	3500	0.01	16,429	0.00
Public(Circulation) with Hard Floor	0	7,500	0.00	20,500	0.00	30,500	0.00	38,400	0.00	41,800	0.00	44,056	0.00
Stairwell	90	7,500	0.01	15,100	0.01	17,400	0.01	24,500	0.00	75,300	0.00	23,880	0.00
Office with Hard Floors	0	8,400	0.00	14,600	0.00	25,100	0.00	36,000	0.00	49,500	0.00	42,591	0.00
Classroom with Hard Floor - Heavy Use	1,240	4,700	0.26	9,600	0.13	10,100	0.12	21,000	0.06	22,900	0.05	40,143	0.03
Storeroom	60	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom - Heavy Use	384	1,000	0.38	1,300	0.30	1,300	0.30	1,300	0.30	1,300	0.30	4,583	0.08
<b>Subtotal:</b>	<b>8,448</b>		<b>1.45</b>		<b>0.83</b>		<b>0.68</b>		<b>0.53</b>		<b>0.50</b>		<b>0.23</b>
<b>Building # 3</b>													
Entranceway	2,240	4,300	0.52	7,500	0.30	12,300	0.18	20,700	0.11	35,000	0.06	16,429	0.14
Classroom with Hard Floor	3,020	8,500	0.36	16,700	0.18	26,500	0.11	39,500	0.08	45,600	0.07	59,022	0.05
Office with Carpet Floor	205	9,600	0.02	18,200	0.01	32,000	0.01	53,000	0.00	87,000	0.00	64,336	0.00
Stairwell	275	7,500	0.04	15,100	0.02	17,400	0.02	24,500	0.01	75,300	0.00	23,880	0.01
Office with Hard Floors	3,385	8,400	0.40	14,600	0.23	25,100	0.13	36,000	0.09	49,500	0.07	42,591	0.08
Vending	0	4,800	0.00	11,100	0.00	16,000	0.00	17,700	0.00	19,500	0.00	0	0
Shower Room	207	5,200	0.04	5,200	0.04	5,200	0.04	5,200	0.04	5,200	0.04	82,353	0.00
Locker/Changing Room Not Including Shower	150	11,800	0.01	12,100	0.01	12,100	0.01	12,100	0.01	12,100	0.01	46,068	0.00
Storeroom	530	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Auditorium Seating and Foyer	3,871	5,700	0.68	14,000	0.28	32,600	0.12	67,200	0.06	408,000	0.01	311,107	0.01
Auditorium Stage and Wings	2,322	18,600	0.12	27,500	0.08	82,800	0.03	239,500	0.01	239,500	0.01	190,909	0.01
<b>Subtotal:</b>	<b>16,205</b>		<b>2.08</b>		<b>1.16</b>		<b>0.65</b>		<b>0.41</b>		<b>0.28</b>		<b>0.31</b>
<b>Building # 4A</b>													
Classroom with Hard Floor	2,920	8,500	0.34	16,700	0.17	26,500	0.11	39,500	0.07	45,600	0.06	59,022	0.05
<b>Subtotal:</b>	<b>2,920</b>		<b>0.34</b>		<b>0.17</b>		<b>0.11</b>		<b>0.07</b>		<b>0.06</b>		<b>0.05</b>
<b>Building # 4</b>													
Classroom with Hard Floor	2,246	8,500	0.26	16,700	0.13	26,500	0.08	39,500	0.06	45,600	0.05	59,022	0.04
Stairwell	377	7,500	0.05	15,100	0.02	17,400	0.02	24,500	0.02	75,300	0.01	23,880	0.02
Office with Hard Floors	927	8,400	0.11	14,600	0.06	25,100	0.04	36,000	0.03	49,500	0.02	42,591	0.02
Classroom with Hard Floor - Heavy Use	7,052	4,700	1.50	9,600	0.73	10,100	0.70	21,000	0.34	22,900	0.31	40,143	0.18
Storeroom	92	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	112	2,000	0.06	2,600	0.04	2,600	0.04	2,600	0.04	2,600	0.04	5,980	0.02
Washroom - Heavy Use	400	1,000	0.40	1,300	0.31	1,300	0.31	1,300	0.31	1,300	0.31	4,583	0.09

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
<b>Subtotal:</b>	<b>11,206</b>		<b>2.38</b>		<b>1.31</b>		<b>1.19</b>		<b>0.78</b>		<b>0.73</b>		<b>0.36</b>
<b>Building #5N</b>													
Classroom with Hard Floor	1,288	8500	0.15	16,700	0.08	26,500	0.05	39,500	0.03	45,600	0.03	59,022	0.02
Entranceway	1,262	4,300	0.29	7,500	0.17	12,300	0.10	20,700	0.06	35,000	0.04	16,429	0.08
Locker/Changing Room Not Including Shower	1,297	11,800	0.11	12,100	0.11	12,100	0.11	12,100	0.11	12,100	0.11	46,068	0.03
Office with Carpet Floor	6,662	9,600	0.69	18,200	0.37	32,000	0.21	53,000	0.13	87,000	0.08	64,336	0.10
Public(Circulation) with Hard Floor	13,758	7,500	1.83	15,100	0.91	17,400	0.79	24,500	0.56	75,300	0.18	44,056	0.31
Stairwell	2,920	77,000	0.04	210,000	0.01	395,300	0.01	1,832,700	0.00	3,360,000	0.00	23,880	0.12
Storeroom	3,468	2,000	1.73	2,600	1.33	2600	1.33	2600	1.33	2600	1.33	1,749,421	0.00
Washroom	213	8,400	0.03	14,600	0.01	25,100	0.01	36,000	0.01	49,500	0.00	5,980	0.04
Shower Room	390	1,000	0.39	1,300	0.30	1,300	0.30	1,300	0.30	1,300	0.30	82,353	0.00
Office with Hard Floors	4,508	9,900	0.46	15,400	0.29	15,400	0.29	15,400	0.29	15,400	0.29	42,591	0.11
Classroom with Carpeted Floor	12,555	9,700	1.29	21,700	0.46	24,000	0.52	34,700	0.36	37,200	0.34	61,127	0.21
Classroom with Hard Floor - Heavy Use	9,952	4,700	2.12	9,600	1.04	10,100	0.99	21,000	0.47	22,900	0.43	40,143	0.25
Washroom - Heavy Use	3,719	1,000	3.72	1,300	2.86	1,300	2.86	1,300	2.86	1,300	2.86	4,583	0.81
Utility	160	4,100	0.04	5,500	0.03	9,800	0.02	17,700	0.01	45,700	0.00	0	0
Vending	131	8,500	0.02	16,700	0.01	26,500	0.00	39,500	0.00	45,600	0.00	0	0
Vocational Classroom with Hard Floor (Cosme	15,343	9,600	1.60	18,200	0.84	32,000	0.48	53,000	0.29	87,000	0.18	30,849	0.50
<b>Subtotal:</b>	<b>77,626</b>		<b>14.51</b>		<b>8.82</b>		<b>8.07</b>		<b>6.82</b>		<b>6.18</b>		<b>2.58</b>
<b>Building #7</b>													
Classroom with Hard Floor	0	8,500	0.00	16,700	0.00	26,500	0.00	39,500	0.00	45,600	0.00	59,022	0.00
Entranceway	50	4,300	0.01	7,500	0.01	12,300	0.00	20,700	0.00	35,000	0.00	16,429	0.00
Office with Carpet Floor	896	9,600	0.09	18,200	0.05	32,000	0.03	53,000	0.02	87,000	0.01	64,336	0.01
Storeroom	3,738	77,000	0.05	210,000	0.02	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Office with Hard Floors	0	8,400	0.00	14,600	0.00	25,100	0.00	36,000	0.00	49,500	0.00	42,591	0.00
Utility	393	4,100	0.10	5,500	0.07	9,800	0.04	17,700	0.02	45,700	0.01	0	0
Washroom - Heavy Use	52	1,000	0.05	1,300	0.04	1,300	0.04	1,300	0.04	1,300	0.04	4,583	0.01
<b>Subtotal:</b>	<b>5,129</b>		<b>0.30</b>		<b>0.19</b>		<b>0.12</b>		<b>0.08</b>		<b>0.06</b>		<b>0.03</b>
<b>Building # 8</b>													
Classroom with Hard Floor	4,174	8,500	0.49	16,700	0.25	26,500	0.16	39,500	0.11	45,600	0.09	59,022	0.07
Entranceway	5,935	4,300	1.38	7,500	0.79	12,300	0.48	20,700	0.29	35,000	0.17	16,429	0.36
Locker/Changing Room Not Including Shower	6,104	11,800	0.52	12,100	0.50	12,100	0.50	12,100	0.50	12,100	0.50	46,068	0.13
Office with Carpet Floor	858	9,600	0.09	18,200	0.05	32,000	0.03	53,000	0.02	87,000	0.01	64,336	0.01
Public(Circulation) with Hard Floor	360	7,500	0.05	20,500	0.02	30,500	0.01	38,400	0.01	41,800	0.01	44,056	0.01
Stairwell	1,299	7,500	0.17	15,100	0.09	17,400	0.07	24,500	0.05	75,300	0.02	23,880	0.05
Storeroom	2,046	77,000	0.03	210,000	0.01	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Shower Room	1,512	5,200	0.29	5,200	0.29	5,200	0.29	5,200	0.29	5,200	0.29	82,353	0.02
Office with Hard Floors	1,084	8,400	0.13	14,600	0.07	25,100	0.04	36,000	0.03	49,500	0.02	42,591	0.03
Washroom - Heavy Use	455	1,000	0.46	1,300	0.35	1,300	0.35	1,300	0.35	1,300	0.35	4,583	0.10
Gymnasium (Wood floor)	23,028	17,300	1.33	36,500	0.63	80,700	0.29	257,400	0.09	1,108,200	0.02	117,718	0.20
<b>Subtotal:</b>	<b>46,855</b>		<b>2.54</b>		<b>1.51</b>		<b>1.09</b>		<b>0.84</b>		<b>0.72</b>		<b>0.98</b>
<b>Building # 9</b>													
Classroom with Hard Floor	706	8,500	0.08	16,700	0.04	26,500	0.03	39,500	0.02	45,600	0.02	59,022	0.01
Classroom with Carpeted Floor	5,668	9,700	0.58	21,700	0.09	24,000	0.24	34,700	0.16	37,200	0.15	61,127	0.09
Entranceway	1,906	4,300	0.44	7,500	0.25	12,300	0.15	20,700	0.09	35,000	0.05	16,429	0.12
Office with Carpet Floor	11,004	9,600	1.15	18,200	0.60	32,000	0.34	53,000	0.21	87,000	0.13	64,336	0.17
Public(Circulation) with Hard Floor	2,577	7,500	0.34	20,500	0.13	30,500	0.08	38,400	0.07	41,800	0.06	44,056	0.06
Laboratory without Hazardous Waste	0	6,900	0.00	10,600	0.00	13,500	0.00	25,000	0.00	87,200	0.00	40,240	0.00

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Stairwell	699	7,500	0.09	15,100	0.05	17,400	0.04	24,500	0.03	75,300	0.01	23,880	0.03
Storeroom	906	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	20	2,000	0.01	2,000	0.01	2,600	0.01	2,600	0.01	2,600	0.01	5,980	0.00
Office with Hard Floors	4,045	8,400	0.48	14,600	0.28	25,100	0.16	36,000	0.11	49,500	0.08	42,591	0.09
Washroom - Heavy Use	654	1,000	0.65	1,300	0.50	1,300	0.50	1,300	0.50	1,300	0.50	4,583	0.14
Utility	614	4,100	0.15	5,500	0.11	9,800	0.06	17,700	0.03	45,700	0.01	0	0
Library with Carpet	21,012	17,900	1.17	36,900	0.57	72,600	0.29	106,400	0.20	126,800	0.17	66,961	0.31
<b>Subtotal:</b>	<b>49,811</b>		<b>5.17</b>		<b>2.64</b>		<b>1.91</b>		<b>1.43</b>		<b>1.19</b>		<b>1.03</b>
<b>Building # 10N</b>													
Classroom with Hard Floor	5,173	8,500	0.61	16,700	0.31	26,500	0.20	39,500	0.13	45,600	0.11	59,022	0.09
Entranceway	600	4,300	0.14	20,500	0.03	30,500	0.02	38,400	0.02	41,800	0.01	16,429	0.04
Office with Carpet Floor	36,724	9,600	3.83	14,600	2.52	25,100	1.46	36,000	1.02	49,500	0.74	64,336	0.57
Public(Circulation) with Hard Floor	29,031	7,500	3.87	20,500	1.42	30,500	0.95	38,400	0.76	41,800	0.69	44,056	0.66
Stairwell	5,300	6,900	4.21	10,600	2.74	13,500	2.15	25,000	1.16	87,200	0.33	23,880	0.22
Storeroom	3,439	77,000	0.04	210,000	0.02	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	476	2,000	0.24	2,000	0.24	2,600	0.18	2,600	0.18	2,600	0.18	5,980	0.08
Public (Circulation) Area with Carpeted Floors	0	8,053	0.06	23,605	0.02	37,596	0.01	42,951	0.01	45,404	0.01	56,143	0.00
Office with Hard Floors	2,433	8,400	0.29	14,600	0.17	25,100	0.10	36,000	0.07	49,500	0.05	42,591	0.06
Classroom with Carpeted Floor	1,398	9,700	0.14	21,700	0.37	24,000	0.06	34,700	0.04	37,200	0.04	61,127	0.02
Classroom with Carpeted Floor - Heavy Use	7,940	5,700	1.39	14,000	0.57	32,600	0.24	67,200	0.12	408,000	0.02	51,772	0.15
Classroom with Hard Floor - Heavy Use	8,558	4,700	1.82	9,600	0.89	10,100	0.85	21,000	0.41	22,900	0.35	40,143	0.21
Washroom - Heavy Use	3,032	1,000	3.03	1,300	2.33	1,300	2.33	1,300	2.33	1,300	2.33	4,583	0.66
Utility	421	9,600	0.32	18,200	0.17	32,000	0.09	53,000	0.06	87,000	0.03	0	0
Cafeteria with Hard Floor	6,560	13,249	0.03	17,996	0.02	17,996	0.02	17,996	0.02	17,996	0.02	41,420	0.16
<b>Subtotal:</b>	<b>111,085</b>		<b>20.02</b>		<b>11.80</b>		<b>8.68</b>		<b>6.33</b>		<b>4.94</b>		<b>2.92</b>
<b>Building # 12</b>													
Classroom with Hard Floor	0	8,500	0.00	16,700	0.00	26,500	0.00	29,500	0.00	45,600	0.00	59,022	0.00
Office with Carpet Floor	330	9,600	0.03	14,600	0.02	25,100	0.01	36,000	0.01	49,500	0.01	64,336	0.01
Public(Circulation) with Hard Floor	3,610	4,300	0.84	20,500	0.18	30,500	0.12	38,400	0.09	41,800	0.09	44,056	0.08
Laboratory with Hazardous Waste	5,194	5,200	1.00	7,000	0.74	8,200	0.63	11,400	0.46	28,200	0.18	40,240	0.13
Stairwell	210	7,500	0.03	151,000	0.00	174,000	0.00	24,500	0.01	75,300	0.00	23,880	0.01
Storeroom	2,521	77,000	0.03	210,000	0.01	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Office with Hard Floors	285	8,400	0.03	14,600	0.02	25,100	0.01	36,000	0.01	46,500	0.01	42,591	0.01
Classroom with Hard Floor - Heavy Use	5,563	4,700	1.18	9,600	0.58	10,100	0.55	21,000	0.26	22,900	0.24	40,143	0.14
Washroom - Heavy Use	647	1,000	0.65	1,300	0.50	1,300	0.50	1,300	0.50	1,300	0.50	4,583	0.14
<b>Subtotal:</b>	<b>18,360</b>		<b>3.80</b>		<b>2.05</b>		<b>1.83</b>		<b>1.34</b>		<b>1.03</b>		<b>0.51</b>
<b>Building # 13</b>													
Entranceway	228	4,300	0.05	7,500	0.03	12300.00	0.02	20,700	0.01	35,000	0.01	16,429	
Storeroom	80	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	
Office with Hard Floors	224	8,400	0.03	14,600	0.02	25,100	0.01	36,000	0.01	49,500	0.00	42,591	
Classroom with Carpeted Floor - Heavy Use	661	5,700	0.12	14,000	0.05	32,600	0.02	67,200	0.01	408,000	0.00	51,772	
<b>Subtotal:</b>			<b>0.20</b>		<b>0.09</b>		<b>0.05</b>		<b>0.03</b>		<b>0.01</b>		<b>0.00</b>
<b>Building # 14</b>													
Entranceway	673	4,300	0.16	7,500	0.09	12300.00	0.05	20,700	0.03	35,000	0.02	16,429	0.04
Office with Carpet Floor	51	9,600	0.01	18,200	0.00	32,000	0.00	53,000	0.00	87,000	0.00	64,336	0.00
Public(Circulation) with Hard Floor	3,840	4,300	0.89	20,500	0.19	30,500	0.13	38,400	0.10	41,800	0.02	44,056	0.09
Public (Circulation) Area with Carpeted Floors	0	17,700	0.00	40,400	0.00	53,500	0.00	80,900	0.00	93,600	0.00	56,143	0.00
Stairwell	256	7,500	0.03	15,100	0.02	17,400	0.01	24,500	0.01	75,300	0.00	23,880	0.01
Storeroom	383	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Classroom with Hard Floor - Heavy Use	16,442	4,700	3.50	9,600	1.71	10,100	1.63	21,000	0.78	22,900	0.72	40,143	0.41

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Washroom - Heavy Use	1,144	1,000	1.14	1,300	0.88	1,300	0.88	1,300	0.88	1,300	0.88	4,583	0.25
<b>Subtotal:</b>	<b>22,789</b>		<b>5.74</b>		<b>2.89</b>		<b>2.71</b>		<b>1.81</b>		<b>1.64</b>		<b>0.80</b>
<b>Building # 15</b>													
Classroom with Hard Floor	0	8,500	0.00	16,700	0.00	26,500	0.00	39,500	0.00	45,600	0.00	59,022	0.00
Office with Carpet Floor	1,200	9,600	0.13	18,200	0.07	32,000	0.04	53,000	0.02	87,000	0.01	64,336	0.02
Public(Circulation) with Hard Floor	3,146	4,300	0.73	20,500	0.15	30,500	0.10	38,400	0.08	41,800	0.01	44,056	0.07
Office with Hard Floors	6,496	8,400	0.77	14,600	0.44	25,100	0.26	36,000	0.18	49,500	0.03	42,591	0.15
Utility	301	4,100	0.07	5,500	0.05	9,800	0.03	17,700	0.02	45,700	0.01	0	0
Washroom - Heavy Use	196	1,000	0.20	1,300	0.15	1,300	0.15	1,300	0.15	1,300	0.04	4,583	0.04
<b>Subtotal:</b>	<b>11,339</b>		<b>1.90</b>		<b>0.87</b>		<b>0.58</b>		<b>0.45</b>		<b>0.10</b>		<b>0.29</b>
<b>Building # 16</b>													
Entranceway	1,082	4,300	0.25	7,500	0.14	12300.00	0.09	20,700	0.05	35,000	0.03	16,429	0.07
Public(Circulation) with Hard Floor	3,880	4,300	0.90	20,500	0.19	30,500	0.13	38,400	0.10	41,800	0.09	44,056	0.09
Office with Carpet Floor	1,428	9,600	0.15	18,200	0.08	32,000	0.04	53,000	0.03	87,000	0.02	64,336	0.02
Stairwell	376	7,500	0.05	15,100	0.02	17,400	0.02	24,500	0.02	75,300	0.00	23,880	0.02
Storeroom	317	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Classroom with Hard Floor - Heavy Use	15,421	4,700	3.28	9,600	1.61	10,100	1.53	21,000	0.73	21,900	0.70	40,143	0.38
Washroom - Heavy Use	1,228	1,000	1.23	1,300	0.94	1,300	0.94	1,300	0.94	1,300	0.94	4,583	0.27
<b>Subtotal:</b>	<b>23,732</b>		<b>5.87</b>		<b>2.99</b>		<b>2.75</b>		<b>1.87</b>		<b>1.79</b>		<b>0.84</b>
<b>Building # 17</b>													
Office with Carpet Floor	307	9,600	0.03	18,200	0.02	32,000	0.01	53,000	0.01	87,000	0.00	64,336	0.00
Storeroom	203	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	56	2,000	0.03	2,600	0.02	2600	0.02	2600	0.02	2600	0.02	5,980	0.01
Public(Circulation) with Hard Floor	3145	17,700	0.18	40,400	0.08	53,500	0.06	80,900	0.04	93,600	0.03	44,056	0.07
Office with Hard Floors	7,664	8,400	0.91	14,600	0.52	25,100	0.31	36,000	0.21	49,500	0.15	42,591	0.18
Classroom with Carpeted Floor - Heavy Use	407	5,100	0.08	12,700	0.03	13,400	0.03	17,900	0.02	18,800	0.02	51,772	0.01
Washroom - Heavy Use	448	1,000	0.45	1,300	0.34	1,300	0.34	1,300	0.34	1,300	0.34	4,583	0.10
<b>Subtotal:</b>	<b>12,230</b>		<b>1.68</b>		<b>1.02</b>		<b>0.77</b>		<b>0.65</b>		<b>0.58</b>		<b>0.37</b>
<b>Building # 18</b>													
Public(Circulation) with Hard Floor	2,400	7,500	0.32	20,500	0.12	30,500	0.08	38,400	0.06	41,800	0.06	44,056	0.05
Stairwell	758	7,500	0.10	15,100	0.05	17,400	0.04	24,500	0.03	75,300	0.01	23,880	0.03
Storeroom	612	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Utility	1,234	4,100	0.30	5,500	0.22	9,800	0.13	17,700	0.07	45,700	0.03	0	0
Classroom with Carpeted Floor - Heavy Use	2,885	5,100	0.57	12,700	0.23	13,400	0.22	17,900	0.16	18,800	0.15	51,772	0.06
Classroom with Hard Floor - Heavy Use	19,154	4,700	4.08	9,600	2.00	10,100	1.90	21,000	0.91	22,900	0.84	40,143	0.48
Washroom - Heavy Use	1,646	1,000	1.65	1,300	1.27	1,300	1.27	1,300	1.27	1,300	1.27	4,583	0.36
<b>Subtotal:</b>	<b>28,689</b>		<b>7.02</b>		<b>3.88</b>		<b>3.63</b>		<b>2.50</b>		<b>2.35</b>		<b>0.98</b>
<b>Building # 19</b>													
Classroom with Hard Floor	6,828	8,500	0.80	16,700	0.41	26,500	0.26	39,500	0.17	45,600	0.15	59,022	0.12
Office with Carpet Floor	959	9,600	0.10	18,200	0.05	32,000	0.03	53,000	0.02	87,000	0.01	64,336	0.01
Public(Circulation) with Hard Floor	5,300	7,500	0.71	20,500	0.26	30,500	0.17	38,400	0.14	41,800	0.13	44,056	0.12
Stairwell	965	7,500	0.13	15,100	0.06	17,400	0.06	24,500	0.04	75,300	0.01	23,880	0.04
Storeroom	1,566	77,000	0.02	210,000	0.01	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	84	2,000	0.04	2,600	0.03	2600	0.03	2600	0.03	2600	0.03	5,980	0.01
Office with Hard Floors	1,739	8,400	0.21	14,600	0.12	25,100	0.07	36,000	0.05	49,500	0.04	42,591	0.04
Classroom with Carpeted Floor - Heavy Use	4,589	5,100	0.90	12,700	0.36	13,400	0.34	17,900	0.26	18,800	0.24	51,772	0.09
Classroom with Hard Floor - Heavy Use	4,357	4,700	0.93	9,600	0.45	10,100	0.43	21,000	0.21	22,900	0.19	40,143	0.11
Washroom - Heavy Use	378	1,000	0.38	1,300	0.29	1,300	0.29	1,300	0.29	1,300	0.29	4,583	0.08
<b>Subtotal:</b>	<b>26,765</b>		<b>4.21</b>		<b>2.05</b>		<b>1.69</b>		<b>1.20</b>		<b>1.09</b>		<b>0.63</b>



Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
<b>Building # 20</b>													
Public(Circulation) with Hard Floor	98	4,300	0.02	20,500	0.00	30,500	0.00	38,400	0.00	41,800	0.00	44,056	0.00
Office with Carpet Floor	1,333	9,600	0.14	18,200	0.07	32,000	0.04	53,000	0.03	87,000	0.02	64,336	0.02
Classroom with Carpeted Floor - Heavy Use	1,286	5,100	0.25	12,700	0.10	13,400	0.10	17,900	0.07	18,800	0.07	51,772	0.02
Classroom with Hard Floor - Heavy Use	1,426	4,700	0.30	9,600	0.15	10,100	0.14	21,000	0.07	22,900	0.06	40,143	0.04
Storeroom	362	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom - Heavy Use	112	1,000	0.11	1,300	0.09	1,300	0.09	1,300	0.09	1,300	0.09	4,583	0.02
<b>Subtotal:</b>	<b>4,617</b>		<b>0.83</b>		<b>0.42</b>		<b>0.37</b>		<b>0.25</b>		<b>0.23</b>		<b>0.11</b>
<b>Building #21</b>													
Classroom with Hard Floor	256	8,500	0.03	16,700	0.02	26,500	0.01	39,500	0.01	45,600	0.01	59,022	
Storeroom	105	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	
Office with Hard Floors	660	8,400	0.08	14,600	0.05	25,100	0.03	36,000	0.02	49,500	0.01	42,591	
Classroom with Hard Floor - Heavy Use	6,469	5,100	1.27	9,600	0.67	10,100	0.64	21,000	0.31	22,900	0.28	40,143	
Washroom - Heavy Use	224	1,000	0.22	1,300	0.17	1,300	0.17	1,300	0.17	1,300	0.17	4,583	
Entranceway	384	4,300	0.09	7,500	0.05	12,300	0.03	20,700	0.02	35,000	0.01	16,429	
Public(Circulation) with Hard Floor	960	4,300	0.22	20,500	0.05	30,500	0.03	38,400	0.03	41,800	0.02	44,056	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building #22</b>													
Classroom with Hard Floor	256	8,500	0.03	16,700	0.02	26,500	0.01	39,500	0.01	45,600	0.01	59,022	
Entranceway	372	4,300	0.09	7,500	0.05	12,300	0.03	20,700	0.02	35,000	0.01	16,429	
Laboratory without Hazardous Waste	512	6,900	0.07	10,600	0.05	13,500	0.04	25,000	0.02	87,200	0.01	40,240	
Storeroom	176	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	
Washroom - Heavy Use	24	1,000	0.02	1,300	0.02	1,300	0.02	1,300	0.02	1,300	0.02	4,583	
Office with Hard Floors	358	8,400	0.04	14,600	0.02	25,100	0.01	36,000	0.01	49,500	0.01	42,591	
Classroom with Hard Floor - Heavy Use	2,036	4,700	0.43	9,600	0.21	10,100	0.20	21,000	0.10	22,900	0.09	40,143	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building #23</b>													
Entranceway	640	4,300	0.15	7,500	0.09	12,300	0.05	20,700	0.03	35,000	0.02	16,429	
Public(Circulation) with Hard Floor	231	4,300	0.05	20,500	0.01	30,500	0.01	38,400	0.01	41,800	0.01	44,056	
Office with Carpet Floor	946	9,600	0.10	18,200	0.05	32,000	0.03	53,000	0.02	87,000	0.01	64,336	
Storeroom	457	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	
Washroom	72	2,000	0.04	2,600	0.03	2,600	0.03	2,600	0.03	2,600	0.03	5,980	
Office with Hard Floors	226	8,400	0.03	14,600	0.02	25,100	0.01	36,000	0.01	49,500	0.00	42,591	
Classroom with Carpeted Floor - Heavy Use	1,870	5,100	0.37	12,700	0.15	13,400	0.14	17,900	0.10	18,800	0.10	51,772	
Classroom with Hard Floor - Heavy Use	1,860	4,700	0.40	9,600	0.19	10,100	0.18	21,000	0.09	22,900	0.08	40,143	
Washroom - Heavy Use	185	1,000	0.19	1,300	0.14	1,300	0.14	1,300	0.14	1,300	0.14	4,583	
Utility	116	4,100	0.03	5,500	0.02	9,800	0.01	17,700	0.01	45,700	0.00	0	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building #24</b>													
Entranceway	116	4,300	0.03	7,500	0.02	12,300	0.01	20,700	0.01	35,000	0.00	16,429	
Storeroom	45	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	
Shower Room	220	5,200	0.04	5,200	0.04	5,200	0.04	5,200	0.04	5,200	0.04	82,353	
Locker/Changing Room Not Including Shower	732	11,800	0.06	12,100	0.06	12,100	0.06	12,100	0.06	12,100	0.06	46,068	
Washroom - Heavy Use	259	1,000	0.26	1,300	0.20	1,300	0.20	1,300	0.20	1,300	0.20	4,583	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building # 25</b>													
Classroom with Hard Floor	13,452	8,500	1.58	16,700	0.81	26,500	0.51	39,500	0.34	45,600	0.30	59,022	

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Public(Circulation) with Hard Floor	300	4,300	0.07	20,500	0.01	30,500	0.01	38,400	0.01	41,800	0.01	44,056	
Office with Hard Floors	1,157	8,400	0.14	14,600	0.08	25,100	0.05	36,000	0.03	49,500	0.02	42,591	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building # 26</b>													
Storeroom	230	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	
Washroom	40	2,000	0.02	2,600	0.02	2,600	0.02	2,600	0.02	2,600	0.02	5,980	
Classroom with Hard Floor - Heavy Use	1,593	4,700	0.34	9,600	0.17	10,100	0.16	21,000	0.08	22,900	0.07	40,143	
Washroom - Heavy Use	242	1,000	0.24	1,300	0.19	1,300	0.19	1,300	0.19	1,300	0.19	4,583	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building # 27</b>													
Entranceway	150	4,300	0.03	7,500	0.02	12,300	0.01	20,700	0.01	35,000	0.00	16,429	
Public(Circulation) with Hard Floor	60	7,500	0.01	20,500	0.00	30,500	0.00	38,400	0.00	41,800	0.00	44,056	
Stairwell	100	7,500	0.01	15,100	0.01	17,400	0.01	24,500	0.00	75,300	0.00	23,880	
Storeroom	2,024	77,000	0.03	210,000	0.01	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	
Utility	248	4,100	0.06	5,500	0.05	9,800	0.03	17,700	0.01	45,700	0.01	0	
Office with Hard Floors	1,770	8,400	0.21	14,600	0.12	25,100	0.07	36,000	0.05	49,500	0.04	42,591	
Classroom with Carpeted Floor - Heavy Use	4,596	5,100	0.90	12,700	0.36	13,400	0.34	17,900	0.26	18,800	0.24	51,772	
Classroom with Hard Floor - Heavy Use	6,780	4,700	1.44	9,600	0.71	10,100	0.67	21,000	0.32	22,900	0.30	40,143	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building # 28</b>													
Classroom with Hard Floor	646	8,500	0.08	16,700	0.04	26,500	0.02	39,500	0.02	45,600	0.01	59,022	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building # 29</b>													
Classroom with Hard Floor	905	8,500	0.11	16,700	0.05	26,500	0.03	39,500	0.02	45,600	0.02	59,022	
<b>Subtotal:</b>													<b>0.00</b>
<b>Building # 30</b>													
Entranceway	458	4,300	0.11	7,500	0.06	12,300	0.04	20,700	0.02	3,500	0.13	16,429	0.03
Locker/Changing Room Not Including Shower	3,357	11,800	0.28	12,100	0.28	12,100	0.28	12,100	0.28	12,100	0.28	46,068	0.07
Shower Room	347	5,200	0.07	5,200	0.07	5,200	0.07	5,200	0.07	5,200	0.07	82,353	0.00
Washroom	364	2,000	0.18	2,600	0.14	2,600	0.14	2,600	0.14	2,600	0.14	5,980	0.06
Storeroom	162	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Office with Carpet Floor	870	9,600	0.09	18,200	0.05	32,000	0.03	53,000	0.02	87,000	0.01	64,336	0.01
Classroom with Carpeted Floor - Heavy Use	629	5,100	0.12	12,700	0.05	13,400	0.05	17,900	0.04	18,800	0.03	51,772	0.01
<b>Subtotal:</b>	<b>6,187</b>		<b>0.86</b>		<b>0.64</b>		<b>0.60</b>		<b>0.56</b>		<b>0.66</b>		<b>0.19</b>
<b>Building # 31</b>													
Classroom with Hard Floor	0	8,500	0.00	16,700	0.00	26,500	0.00	39,500	0.00	45,600	0.00	59,022	0.00
<b>Subtotal:</b>	<b>0</b>		<b>0.00</b>		<b>0.00</b>		<b>0.00</b>		<b>0.00</b>		<b>0.00</b>		<b>0.00</b>
<b>Building # 33</b>													
Entranceway	711	4,300	0.17	7,500	0.09	12,300	0.06	20,700	0.03	3,500	0.20	16,429	0.04
Office with Carpet Floor	1,101	9,600	0.11	18,200	0.00	32,000	0.03	53,000	0.02	87,000	0.01	64,336	0.02
Washroom	60	2,000	0.03	2,600	0.42	2,600	0.02	2,600	0.02	2,600	0.02	5,980	0.01
Classroom with Carpeted Floor	269	9,700	0.03	21,700	0.07	24,000	0.01	34,700	0.01	37,200	0.01	61,127	0.00
Classroom with Carpeted Floor - Heavy Use	1,451	5,100	0.28	12,700	0.11	13,400	0.11	17,900	0.08	18,800	0.08	51,772	0.03
Classroom with Hard Floor - Heavy Use	238	4,700	0.05	9,600	0.02	10100	0.02	21000	0.01	22900	0.01	40,143	0.01
Washroom - Heavy Use	268	1,000	0.27	1,300	0.21	1300	0.21	1300	0.21	1300	0.21	4,583	0.06

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Utility	115	4,100	0.03	5,500	0.02	9,800	0.01	17,700	0.01	45,700	0.00	0	0
<b>Subtotal:</b>	<b>4,213</b>		<b>0.97</b>		<b>0.95</b>		<b>0.48</b>		<b>0.39</b>		<b>0.54</b>		<b>0.17</b>
<b>Building # 34</b>													
Office with Carpet Floor	5,369	9,600	0.56	18,200	0.30	32,000	0.17	53,000	0.10	87,000	0.06	64,336	0.08
Office with Hard Floors	301	8,400	0.04	14,600	0.02	25,100	0.01	36,000	0.01	49,500	0.01	42,591	0.01
Storeroom	4,002	77,000	0.05	210,000	0.02	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	0	2,000	0.00	2,600	0.00	2,600	0.00	2,600	0.00	2,600	0.00	5,980	0.00
Washroom - Heavy Use	220	1,000	0.22	1,300	0.17	1,300	0.17	1,300	0.17	1,300	0.17	4,583	0.05
Utility	0	4,100	0.00	5,500	0.00	9,800	0.00	17,700	0.00	45,700	0.00	0	0
<b>Subtotal:</b>	<b>9,892</b>		<b>0.87</b>		<b>0.50</b>		<b>0.36</b>		<b>0.28</b>		<b>0.24</b>		<b>0.14</b>
<b>Building # 35</b>													
Locker/Changing Room Not Including Shower	723	11,800	0.06	12,100	0.06	12,100	0.06	12,100	0.06	12,100	0.06	46,068	0.02
Shower Room	74	5,200	0.01	5,200	0.01	5,200	0.01	5,200	0.01	5,200	0.01	82,353	0.00
Utility	730	4,100	0.18	5,500	0.13	9,800	0.07	17,700	0.04	45,700	0.02	0	0
Storeroom	406	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Office with Carpet Floor	1,112	9,600	0.12	18,200	0.06	32,000	0.03	53,000	0.02	87,000	0.01	64,336	0.02
Classroom with Hard Floor - Heavy Use	4,882	4,700	1.04	9,600	0.51	10,100	0.48	21,000	0.23	22,900	0.21	40,143	0.12
Washroom - Heavy Use	384	1,000	0.38	1,300	0.30	1,300	0.30	1,300	0.30	1,300	0.30	4,583	0.08
<b>Subtotal:</b>	<b>8,311</b>		<b>1.80</b>		<b>1.07</b>		<b>0.96</b>		<b>0.66</b>		<b>0.61</b>		<b>0.24</b>
<b>Building #36</b>													
Entranceway	2,647	4,300	0.62	7,500	0.35	12,300	0.22	20,700	0.13	35,000	0.08	16,429	0.16
Public(Circulation) with Hard Floor	6,749	4,300	1.57	20,500	0.33	30,500	0.22	38,400	0.18	41,800	0.16	44,056	0.15
Office with Carpet Floor	4,762	9,600	0.50	18,200	0.26	32,000	0.15	53,000	0.09	87,000	0.05	64,336	0.07
Storeroom	4,443	77,000	0.06	210,000	0.02	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	382	2,000	0.19	2,600	0.15	2,600	0.15	2,600	0.15	2,600	0.15	5,980	0.06
Classroom with Hard Floor - Heavy Use	26,571	4,700	5.65	9,600	2.77	10,100	2.63	21,000	1.27	22,900	1.16	40,143	0.66
Washroom - Heavy Use	941	1,000	0.94	1,300	0.72	1,300	0.72	1,300	0.72	1,300	0.72	4,583	0.21
Auditorium Seating and Foyer	1,368	5,700	0.24	14,000	0.10	32,600	0.04	67,200	0.02	408,000	0.00	311,107	0.00
<b>Subtotal:</b>	<b>47,863</b>		<b>9.76</b>		<b>4.70</b>		<b>4.14</b>		<b>2.55</b>		<b>2.33</b>		<b>1.33</b>
<b>Building #37</b>													
Washroom - Heavy Use	210	1,000	0.21	1,300	0.16	1,300	0.16	1,300	0.16	1,300	0.16	4,583	0.05
<b>Subtotal:</b>	<b>210</b>		<b>0.21</b>		<b>0.16</b>		<b>0.16</b>		<b>0.16</b>		<b>0.16</b>		<b>0.05</b>
<b>Building #38</b>													
Office with Hard Floors	720	8,400	0.09	14,600	0.05	25,100	0.03	36,000	0.02	49,500	0.01	42,591	0.02
<b>Subtotal:</b>	<b>720</b>		<b>0.09</b>		<b>0.05</b>		<b>0.03</b>		<b>0.02</b>		<b>0.01</b>		<b>0.02</b>
<b>Building #39</b>													
Washroom - Heavy Use	640	1,000	0.64	1,300	0.49	1,300	0.49	1,300	0.49	1,300	0.49	4,583	0.14
<b>Subtotal:</b>	<b>640</b>		<b>0.64</b>		<b>0.49</b>		<b>0.49</b>		<b>0.49</b>		<b>0.49</b>		<b>0.14</b>
<b>Building #43</b>													
Office with Hard Floors	128	8,400	0.02	14,600	0.01	25,100	0.01	36,000	0.00	49,500	0.00	42,591	0.00
<b>Subtotal:</b>	<b>128</b>		<b>0.02</b>		<b>0.01</b>		<b>0.01</b>		<b>0.00</b>		<b>0.00</b>		<b>0.00</b>
<b>Building #44</b>													
Office with Hard Floors	960	8,400	0.11	14,600	0.07	25,100	0.04	36,000	0.03	49,500	0.02	42,591	0.02
<b>Subtotal:</b>	<b>960</b>		<b>0.11</b>		<b>0.07</b>		<b>0.04</b>		<b>0.03</b>		<b>0.02</b>		<b>0.02</b>
<b>District Office</b>													
Office with Carpet Floor	10,067	9,600	1.05	18,200	0.55	32,000	0.31	53,000	0.19	87,000	0.12	64,336	0.16

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Office with Hard Floors	884	8,400	0.11	14,600	0.06	25,100	0.04	36,000	0.02	49,500	0.02	42,591	0.02
Entranceway	1,225	4,300	0.28	7,500	0.16	12,300	0.10	20,700	0.06	35,000	0.04	16,429	0.07
Public(Circulation) with Hard Floor	2,778	4,300	0.65	20,500	0.14	30,500	0.09	38,400	0.07	41,800	0.07	44,056	0.06
Public (Circulation) Area with Carpeted Floors	306	17,700	0.02	40,400	0.01	53,500	0.01	80,900	0.00	93,600	0.00	56,143	0.01
Stairwell	458	7,500	0.06	15,100	0.03	17,400	0.03	24,500	0.02	75,300	0.01	23,880	0.02
Washroom	436	2000	0.22	2600	0.17	2600	0.17	2600	0.17	2600	0.17	5,980	0.07
Washroom - Heavy Use	220	1,000	0.22	1,300	0.17	1,300	0.17	1,300	0.17	1,300	0.17	4,583	0.05
Storeroom	1,088	77,000	0.01	210,000	0.01	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Utility	866	4,100	0.21	5,500	0.16	9,800	0.09	17,700	0.05	45,700	0.02	0	0
<b>Subtotal:</b>	<b>18,328</b>		<b>2.83</b>		<b>1.45</b>		<b>1.00</b>		<b>0.75</b>		<b>0.60</b>		<b>0.46</b>
<b>CSM TOTAL :</b>	<b>597,739</b>		<b>101.0</b>		<b>56.6</b>		<b>47.9</b>		<b>34.3</b>		<b>30.0</b>		<b>16.35</b>
												<b>Pool Custodian</b>	<b>0.67</b>
% Non-Cleaning Tasks (NCT) and Leaves and Absences (L&A) Total Hrs	38%		38.57		21.61		18.28		13.11		11.47		6.50
<b>Total (Cleaning/NCT/L&amp;A)</b>			<b>139.57</b>		<b>78.20</b>		<b>66.15</b>		<b>47.44</b>		<b>41.50</b>		<b>23.52</b>

NOTE: This information is subject to change due to unforeseen circumstances, local conditions, and unscheduled service requests.