

Skyline Custodial Staffing Summary Report

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
<b>Building # 1</b>													
Classroom with Hard Floor	3,551	8,500	0.42	16,700	0.21	26,500	0.13	39,500	0.09	45,600	0.08	59,022	0.06
Entranceway	30	4,300	0.01	7,500	0.00	12,300	0.00	20,700	0.00	35,000	0.00	16,429	0.00
Office with Carpet Floor	3,225	9,600	0.34	18,200	0.18	32,000	0.10	53,000	0.06	87,000	0.04	64,336	0.05
Public(Circulation) with Hard Floor	12,502	4,300	2.91	20,500	0.61	17,400	0.72	38,400	0.33	41,800	0.30	44,056	0.28
Stairwell	1,007	7,500	0.13	15,100	0.07	25,100	0.04	24,500	0.04	75,300	0.01	23,880	0.04
Storeroom	2,353	77,000	0.03	210,000	0.01	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	308	2,000	0.15	2,600	0.12	2,600	0.12	2,600	0.12	2,600	0.12	5,980	0.05
Office with Hard Floors	6,255	8,400	0.74	14,600	0.43	25,100	0.25	36,000	0.17	49,500	0.13	42,591	0.15
Classroom with Carpeted Floor	331	9,700	0.03	21,700	0.02	24,000	0.01	34,700	0.01	37,200	0.01	61,127	0.01
Classroom with Carpeted Floor - Heavy Use	2,950	5,100	0.58	12,700	0.23	13,400	0.22	17,900	0.16	18,800	0.16	51,772	0.06
Classroom with Hard Floor - Heavy Use	17,947	4,700	3.82	9,600	1.87	10,100	1.78	21,000	0.85	22,900	0.78	40,143	0.45
Washroom - Heavy Use	1,013	1,000	1.01	1,300	0.78	1,300	0.78	1,300	0.78	1,300	0.78	4,583	0.22
Utility	3,592	4,100	0.88	5,500	0.65	9,800	0.37	17,700	0.20	45,700	0.08	0	0
Auditorium Seating and Foyer	3,132	5,700	0.55	14,000	0.22	32,600	0.10	67,200	0.05	408,000	0.01	311,107	0.01
Auditorium Stage and Wings	2,680	18,600	0.14	27,500	0.10	82,800	0.03	239,500	0.01	239,500	0.01	190,909	0.01
<b>Subtotal:</b>	<b>60,876</b>		<b>11.75</b>		<b>5.50</b>		<b>4.65</b>		<b>2.88</b>		<b>2.50</b>		<b>1.39</b>
<b>Building # 2</b>													
Classroom with Hard Floor	0	8,500	0.00	16,700	0.00	26,500	0.00	39,500	0.00	45,600	0.00	59,022	0.00
Entranceway	65	4,300	0.02	7,500	0.01	12,300	0.01	20,700	0.00	3500	0.02	16,429	0.00
Office with Carpet Floor	7,922	9,600	0.83	18,200	0.44	32,000	0.25	53,000	0.21	87,000	0.09	64,336	0.12
Public(Circulation) with Hard Floor	4,241	4,300	0.99	20,500	0.21	17,400	0.24	38,400	0.11	75,300	0.06	44,056	0.10
Stairwell	1,810	7,500	0.24	15,100	0.12	25,100	0.07	24,500	0.07	49,500	0.04	23,880	0.08
Storeroom	727	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	22,900	0.03	1,749,421	0.00
Office with Hard Floors	1,383	8,400	0.16	14,600	0.09	25,100	0.06	36,000	0.04	49,500	0.03	42,591	0.03
Classroom with Carpeted Floor	1,817	9,700	0.19	21,700	0.08	24,000	0.08	34,700	0.05	37,200	0.05	61,127	0.03
Classroom with Carpeted Floor - Heavy Use	12,047	5,100	2.36	12,700	0.95	13,400	0.90	17,900	0.67	18,800	0.64	51,772	0.23
Classroom with Hard Floor - Heavy use	6,352	4,700	1.35	9,600	0.66	10,100	0.63	21,000	0.30	22,900	0.28	40,143	0.16
Utility	1,905	4,100	0.46	5,500	0.35	9,800	0.19	17,700	0.11	45,700	0.04	0	0
Cafeteria with Hard Floor	2,616	11,200	0.23	16,400	0.16	16,400	0.16	16,400	0.16	16,400	0.16	41,420	0.06
Washroom - Heavy Use	650	1,000	0.65	1,300	0.50	1,300	0.50	1,300	0.50	1,300	0.50	4,583	0.14
<b>Subtotal:</b>	<b>41,535</b>		<b>7.49</b>		<b>3.57</b>		<b>3.08</b>		<b>2.23</b>		<b>1.93</b>		<b>0.96</b>
<b>Building # 3</b>													
Entranceway	450	4,300	0.10	7,500	0.06	12,300	0.04	20,700	0.02	35,000	0.01	16,429	0.03
Locker/Changing Room Not Including Shower	3,456	8,500	0.41	12,100	0.29	12,100	0.29	12,100	0.29	45,600	0.08	46,068	0.08
Office with Carpet Floor	1,889	9,600	0.20	18,200	0.10	32,000	0.06	53,000	0.04	87,000	0.02	64,336	0.03
Public(Circulation) with Hard Floor	5,090	4,300	1.18	20,500	0.25	30,500	0.17	38,400	0.13	41,800	0.12	44,056	0.12
Stairwell	348	7,500	0.05	15,100	0.02	17,400	0.02	24,500	0.01	75,300	0.00	23,880	0.01
Storeroom	543	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Shower Room	830	5,200	0.16	5,200	0.16	5,200	0.16	5,200	0.16	5,200	0.16	82,353	0.01
Classroom with Hard Floor	1,428	8500	0.17	16,700	0.09	26,500	0.05	39,500	0.04	45,600	0.03	59,022	0.02
Classroom with Carpeted Floor	342	9,700	0.04	21,700	0.02	24,000	0.01	34,700	0.01	37,200	0.01	61,127	0.01
Classroom with Carpeted Floor - Heavy Use	2,325	5,100	0.46	12,700	0.18	13,400	0.17	17,900	0.13	18,800	0.12	51,772	0.04
Washroom	346	2,000	0.17	2,600	0.13	2,600	0.13	2,600	0.13	2,600	0.13	5,980	0.06
Washroom - Heavy Use	2,085	1,000	2.09	1,300	1.60	1,300	1.60	1,300	1.60	1,300	1.60	4,583	0.45
Utility	1,299	4,100	0.32	5,500	0.24	9,800	0.13	17,700	0.07	45,700	0.03	0	0
Vending	94	4,800	0.02	11,100	0.01	16,000	0.01	17,700	0.01	19,500	0.00	0	0
Gymnasium (Wood Floor)	16,828	17,300	0.97	36,500	0.46	80,700	0.21	257,400	0.07	1,108,200	0.02	117,718	0.14
<b>Subtotal:</b>	<b>37,353</b>		<b>6.33</b>		<b>3.61</b>		<b>3.05</b>		<b>2.71</b>		<b>2.35</b>		<b>1.00</b>
<b>Building # 4N</b>													

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Entranceway	2,939	4,300	0.68	7,500	0.39	12,300	0.24	20,700	0.14	35,000	0.08	16,429	0.18
Locker/Changing Room Not Including Shower	1,061	8,500	0.12	12,100	0.09	12,100	0.09	12,100	0.09	45,600	0.02	46,068	0.02
Office with Carpet Floor	6,796	9,600	0.71	18,200	0.37	32,000	0.21	53,000	0.13	87,000	0.08	64,336	0.11
Public(Circulation) with Hard Floor	10,494	4,300	2.44	20,500	0.51	30,500	0.34	38,400	0.27	41,800	0.25	44,056	0.24
Stairwell	1,167	7,500	0.16	15,100	0.08	17,400	0.07	24,500	0.05	75,300	0.02	23,880	0.05
Storeroom	1,279	77,000	0.02	210,000	0.01	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	349	2,000	0.17	2,600	0.13	2,600	0.13	2,600	0.13	2,600	0.13	5,980	0.06
Shower Room	500	5,200	0.10	5,200	0.10	5,200	0.10	5,200	0.10	5,200	0.10	82,353	0.01
Office with Hard Floors	3,515	8,400	0.42	14,600	0.24	25,100	0.14	36,000	0.10	49,500	0.07	42,591	0.08
Classroom with Hard Floor - Heavy Use	17,235	4,700	3.67	9,600	1.80	10,100	1.71	21,000	0.82	22,900	0.75	40,143	0.43
Washroom - Heavy Use	2,317	1,000	2.32	1,300	1.78	1,300	1.78	1,300	1.78	1,300	1.78	4,583	0.51
Utility	686	4,100	0.17	5,500	0.12	9,800	0.07	17,700	0.04	45,700	0.02	0	0
Vocational Classroom with Hard Floor (Cosmetol)	12,452	71,017	0.18	71,017	0.18	71,017	0.18	71,017	0.18	71,017	0.18	30,849	0.40
<b>Subtotal:</b>	<b>60,790</b>		<b>10.97</b>		<b>5.62</b>		<b>4.88</b>		<b>3.65</b>		<b>3.30</b>		<b>2.08</b>
<b>Building # 5</b>													
Entranceway	56	4,300	0.01	7,500	0.01	12,300	0.00	20,700	0.00	35,000	0.00	16,429	0.00
Public(Circulation) with Hard Floor	3,552	4,300	0.83	20,500	0.17	30,500	0.12	38,400	0.09	41,800	0.08	44,056	0.08
Classroom with Carpeted Floor - Heavy Use	10,684	5,100	2.09	12,700	0.84	13,400	0.80	17,900	0.60	18,800	0.57	51,772	0.21
Office with Carpet Floor	5,841	9,600	0.61	18,200	0.32	32,000	0.18	53,000	0.11	87,000	0.07	64,336	0.09
Stairwell	902	7,500	0.12	15,100	0.06	17,400	0.05	24,500	0.04	75,300	0.01	23,880	0.04
Office with Hard Floors	4,364	8,400	0.52	14,600	0.30	25,100	0.17	36,000	0.12	49,500	0.09	42,591	0.10
Washroom - Heavy Use	572	1,000	0.57	1,300	0.44	1,300	0.44	1,300	0.44	1,300	0.44	4,583	0.12
Storeroom	186	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Utility	1,118	4,100	0.27	5,500	0.20	9,800	0.11	17,700	0.06	19,500	0.06	0	0
Library with Carpet	21504	19732	1.09	36900	0.58	72600	0.30	106400	0.20	126800	0.17	66,961	0.32
<b>Subtotal:</b>	<b>48,779</b>		<b>6.12</b>		<b>2.93</b>		<b>2.18</b>		<b>1.67</b>		<b>1.49</b>		<b>0.97</b>
<b>Building # 6</b>													
Entranceway	437	4,300	0.10	7,500	0.06	12,300	0.04	20,700	0.01	3500	0.12	16,429	0.03
Office with Carpet Floor	12,201	9,600	1.27	18,200	0.67	32,000	0.38	53,000	0.32	87,000	0.14	64,336	0.19
Public(Circulation) with Hard Floor	6,778	4,300	1.58	20,500	0.33	17,400	0.39	38,400	0.18	75,300	0.09	44,056	0.15
Stairwell	216	7,500	0.03	15,100	0.01	25,100	0.01	24,500	0.01	49,500	0.00	23,880	0.01
Storeroom	1,918	77,000	0.02	210,000	0.01	395,300	0.00	1,832,700	0.00	22,900	0.08	1,749,421	0.00
Office with Hard Floors	0	8,400	0.00	14,600	0.00	25,100	0.00	36,000	0.00	49,500	0.00	42,591	0.00
Utility	2,701	4,100	0.66	5,500	0.49	9,800	0.28	17,700	0.15	45,700	0.06	0	0
Cafeteria with Hard Floor	10,211	11,200	0.91	16,400	0.62	16,400	0.62	16,400	0.62	16,400	0.62	41,420	0.25
Washroom - Heavy Use	1,482	1,000	1.48	1,300	1.14	1,300	1.14	1,300	1.14	1,300	1.14	4,583	0.32
<b>Subtotal:</b>	<b>35,944</b>		<b>6.06</b>		<b>3.34</b>		<b>2.86</b>		<b>2.43</b>		<b>2.26</b>		<b>0.95</b>
<b>Building # 7</b>													
Classroom with Hard Floor	0	8500	0.00	16,700	0.00	26,500	0.00	39,500	0.00	45,600	0.00	59,022	0.00
Entranceway	464	9,600	0.05	18,200	0.03	32,000	0.01	53,000	0.01	87,000	0.01	16,429	0.03
Public(Circulation) with Hard Floor	6,731	4,300	1.57	20,500	0.33	30,500	0.22	38,400	0.18	41,800	0.16	44,056	0.15
Stairwell	1,320	7,500	0.18	15,100	0.09	17,400	0.08	24,500	0.05	75,300	0.02	23,880	0.06
Storeroom	284	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	147	2,000	0.07	2,600	0.06	2,600	0.06	2,600	0.06	2,600	0.06	5,980	0.02
Office with Hard Floors	4,074	8,400	0.49	14,600	0.28	25,100	0.16	36,000	0.11	49,500	0.08	42,591	0.10
Classroom with Carpeted Floor	0	9,700	0.00	21,700	0.00	24,000	0.00	34,700	0.00	37,200	0.00	61,127	0.00
Laboratory without Hazardous Waste	8,632	5,100	1.69	12,700	0.68	13,400	0.64	17,900	0.48	18,800	0.46	40,240	0.21
Classroom with Hard Floor - Heavy Use	11,606	4,700	2.47	9,600	1.21	10,100	1.15	21,000	0.55	22,900	0.51	40,143	0.29
Utility	670	4,100	0.16	5,500	0.12	9,800	0.07	17,700	0.04	45,700	0.01	0	0
<b>Subtotal:</b>	<b>33,928</b>		<b>6.68</b>		<b>2.79</b>		<b>2.39</b>		<b>1.48</b>		<b>1.30</b>		<b>0.86</b>
<b>Building # 7A</b>													

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Office with Carpet Floor	890	9,600	0.09	18,200	0.05	32,000	0.03	53,000	0.02	87,000	0.01	64,336	0.01
Public(Circulation) with Hard Floor	4,266	4,300	0.99	20,500	0.21	30,500	0.14	38,400	0.11	41,800	0.10	44,056	0.10
Stairwell	1,714	7,500	0.23	15,100	0.11	17,400	0.10	24,500	0.07	75,300	0.02	23,880	0.07
Storeroom	2,541	77,000	0.03	210,000	0.01	395,300	0.01	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom - Heavy Use	1,452	2,000	0.73	2,600	0.56	2,600	0.56	2,600	0.56	2,600	0.56	4,583	0.32
Office with Hard Floors	433	8,400	0.05	14,600	0.03	25,100	0.02	36,000	0.01	49,500	0.01	42,591	0.01
Entranceway	811	4,300	0.19	7,500	0.11	12,300	0.07	20,700	0.04	35,000	0.02	16,429	0.05
Laboratory without Hazardous Waste	11,937	4,700	2.54	9,600	1.24	10,100	1.18	21,000	0.57	22,900	0.52	40,240	0.30
Utility	2,625	4,100	0.64	5,500	0.48	9,800	0.27	17,700	0.15	45,700	0.06	0	0
<b>Subtotal:</b>	<b>26,669</b>		<b>5.49</b>		<b>2.80</b>		<b>2.36</b>		<b>1.53</b>		<b>1.30</b>		<b>0.86</b>
<b>Building # 8</b>													
Classroom with Hard Floor	0	8,500	0.00	16,700	0.00	26,500	0.00	39,500	0.00	45,600	0.00	59,022	0.00
Entranceway	0	4,300	0.00	7,500	0.00	12,300	0.00	20,700	0.00	35,000	0.00	16,429	0.00
Office with Carpet Floor	1,578	9,600	0.16	18,200	0.09	32,000	0.05	53,000	0.03	87,000	0.02	64,336	0.02
Public(Circulation) with Hard Floor	5,884	4,300	1.37	20,500	0.29	30,500	0.19	38,400	0.15	41,800	0.14	44,056	0.13
Laboratory with Hazardous Waste	0	5,200	0.00	7,000	0.00	8,200	0.00	11,400	0.00	28,200	0.00	40,240	0.00
Stairwell	1,035	7,500	0.14	15,100	0.07	17,400	0.06	24,500	0.04	75,300	0.01	23,880	0.04
Storeroom	242	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	168	2,000	0.08	2,600	0.06	2,600	0.06	2,600	0.06	2,600	0.06	5,980	0.03
Office with Hard Floors	3,157	8,400	0.38	14,600	0.22	25,100	0.13	36,000	0.09	49,500	0.06	42,591	0.07
Classroom with Carpeted Floor - Heavy Use	0	5,100	0.00	12,700	0.00	13,400	0.00	17,900	0.00	18,800	0.00	51,772	0.00
Classroom with Hard Floor - Heavy Use	24,205	4,700	5.15	9,600	2.52	10,100	2.40	21,000	1.15	21,900	1.11	40,143	0.60
Washroom - Heavy Use	1,330	1,000	1.33	1,300	1.02	1,300	1.02	1,300	1.02	1,300	1.02	4,583	0.29
Utility	904	4,100	0.22	5,500	0.16	9,800	0.09	17,700	0.05	45,700	0.02	0	0
<b>Subtotal:</b>	<b>38,503</b>		<b>8.83</b>		<b>4.43</b>		<b>4.00</b>		<b>2.60</b>		<b>2.45</b>		<b>1.20</b>
<b>Building #9</b>													
Office with Hard Floors	0	8,400	0.00	14,600	0.00	25,100	0.00	36,000	0.00	49,500	0.00	42,591	0.00
Classroom with Hard Floor - Heavy Use	2,900	4,700	0.62	9,600	0.30	10,100	0.29	21,000	0.14	21,900	0.13	40,143	0.07
Washroom - Heavy Use	288	1,000	0.29	1,300	0.22	1,300	0.22	1,300	0.22	1,300	0.22	4,583	0.06
<b>Subtotal:</b>	<b>3,188</b>		<b>0.91</b>		<b>0.52</b>		<b>0.51</b>		<b>0.36</b>		<b>0.35</b>		<b>0.14</b>
<b>Building # 10</b>													
Office with Hard Floors	318	8,400	0.04	14,600	0.02	25,100	0.01	36,000	0.01	49,500	0.01	42,591	0.01
Classroom with Hard Floor - Heavy Use	4,007	4,700	0.85	9,600	0.42	10,100	0.40	21,000	0.19	21,900	0.18	40,143	0.10
Storeroom	250	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Utility	906	4,100	0.22	5,500	0.16	9,800	0.09	17,700	0.05	45,700	0.02	0	0
<b>Subtotal:</b>	<b>5,481</b>		<b>1.11</b>		<b>0.61</b>		<b>0.50</b>		<b>0.25</b>		<b>0.21</b>		<b>0.11</b>
<b>Building # 11N</b>													
Public(Circulation) with Hard Floor	955	4,300	0.22	20,500	0.05	30,500	0.03	38,400	0.02	41,800	0.02	44,056	0.02
Storeroom	485	77,000	0.01	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Office with Hard Floors	98	8,400	0.01	14,600	0.01	25,100	0.00	36,000	0.00	49,500	0.00	42,591	0.00
Classroom with Hard Floor - Heavy Use	4,156	4,700	0.88	9,600	0.43	10,100	0.41	21,000	0.20	21,900	0.19	40,143	0.10
Washroom - Heavy Use	98	1,000	0.10	1,300	0.08	1,300	0.08	1,300	0.08	1,300	0.08	4,583	0.02
<b>Subtotal:</b>	<b>5,792</b>		<b>1.22</b>		<b>0.56</b>		<b>0.52</b>		<b>0.30</b>		<b>0.29</b>		<b>0.15</b>
<b>Building # 14</b>													
Entranceway	180	4,300	0.04	7,500	0.02	12,300	0.01	20,700	0.01	35,000	0.01	16,429	0.01
Office with Carpet Floor	1,971	9,600	0.21	18,200	0.11	32,000	0.06	53,000	0.04	87,000	0.02	64,336	0.03
Public(Circulation) with Hard Floor	318	4,300	0.07	20,500	0.02	30,500	0.01	38,400	0.01	41,800	0.01	44,056	0.01

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
Shower Room	488	5,200	0.09	5,200	0.09	5,200	0.09	5,200	0.09	5,200	0.09	82,353	0.01
Storeroom	97	77,000	0.00	210,000	0.00	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	245	2,000	0.12	2,600	0.09	2,600	0.09	2,600	0.09	2,600	0.09	5,980	0.04
Office with Hard Floors	216	8,400	0.03	14,600	0.01	25,100	0.01	36,000	0.01	49,500	0.00	42,591	0.01
Cafeteria with Hard Floor	225	11,200	0.02	16,400	0.01	16,400	0.01	16,400	0.01	16,400	0.01	41,420	0.01
Utility	6,577	4,100	1.60	5,500	1.20	9,800	0.67	17,700	0.37	45,700	0.14	0	0
<b>Subtotal:</b>	<b>10,317</b>		<b>2.19</b>		<b>1.54</b>		<b>0.97</b>		<b>0.63</b>		<b>0.39</b>		<b>0.11</b>
<b>Building # 15</b>													
Washroom	648	2,000	0.32	2,600	0.25	2,600	0.25	2,600	0.25	2,600	0.25	5,980	0.11
Utility	54	4,100	0.01	5,500	0.01	9,800	0.01	17,700	0.00	45,700	0.00	0	0
<b>Subtotal:</b>	<b>702</b>		<b>0.34</b>		<b>0.26</b>		<b>0.25</b>		<b>0.25</b>		<b>0.25</b>		<b>0.11</b>
<b>Building # 16</b>													
Office with Carpet Floor	200	9,600	0.02	18,200	0.01	32,000	0.01	53,000	0.00	87,000	0.00	64,336	0.00
Washroom	154	2,000	0.08	2,600	0.06	2,600	0.06	2,600	0.06	2,600	0.06	5,980	0.03
Classroom with Carpeted Floor	2,784	9,700	0.29	21,700	0.13	24,000	0.12	34,700	0.08	37,200	0.07	61,127	0.05
<b>Subtotal:</b>	<b>3,138</b>		<b>0.38</b>		<b>0.20</b>		<b>0.18</b>		<b>0.14</b>		<b>0.14</b>		<b>0.07</b>
<b>Bldgs # 17</b>													
Classroom with Carpeted Floor - Heavy Use	840	5,100	0.16	12,700	0.07	13,400	0.06	17,900	0.05	18,800	0.04	51,772	0.02
<b>Subtotal:</b>	<b>840</b>		<b>0.16</b>		<b>0.07</b>		<b>0.06</b>		<b>0.05</b>		<b>0.04</b>		<b>0.02</b>
<b>Building # 18</b>													
Cafeteria with Hard Floor	160	11,200	0.01	16,400	0.01	16,400	0.01	16,400	0.01	16,400	0.01	41,420	0.00
Office with Hard Floors	160	8,400	0.02	14,600	0.01	25,100	0.01	36,000	0.00	49,500	0.00	42,591	0.00
<b>Subtotal:</b>	<b>320</b>		<b>0.03</b>		<b>0.02</b>		<b>0.02</b>		<b>0.01</b>		<b>0.01</b>		<b>0.01</b>
<b>Building # 19</b>													
Public(Circulation) with Hard Floor	7,104	4,300	1.65	20,500	0.35	30,500	0.23	38,400	0.19	41,800	0.17	44,056	0.16
Entranceway	200	4,300	0.05	7,500	0.03	12,300	0.02	20,700	0.01	35,000	0.01	16,429	0.01
Storeroom	1,154	77,000	0.01	210,000	0.01	395,300	0.00	1,832,700	0.00	3,360,000	0.00	1,749,421	0.00
Washroom	155	2,000	0.08	2,600	0.06	2,600	0.06	2,600	0.06	2,600	0.06	5,980	0.03
Office with Hard Floors	3,948	8,400	0.47	14,600	0.27	25,100	0.16	36,000	0.11	49,500	0.08	42,591	0.09
Classroom with Hard Floor - Heavy Use	22,479	5,100	4.41	12,700	1.77	13,400	1.68	17,900	1.26	18,800	1.20	40,143	0.56
Cafeteria with Hard Floor	652	11,200	0.06	16,400	0.04	16,400	0.04	16,400	0.04	16,400	0.04	41,420	0.02
Utility	1,104	4,100	0.27	5,500	0.20	9,800	0.11	17,700	0.06	45,700	0.02	0	0
<b>Subtotal:</b>	<b>36,796</b>		<b>7.00</b>		<b>2.72</b>		<b>2.30</b>		<b>1.72</b>		<b>1.57</b>		<b>0.87</b>
<b>Building # 20</b>													
Washroom - Heavy Use	1,240	2,000	0.62	2,600	0.48	2,600	0.48	2,600	0.48	2,600	0.48	4,583	0.27
Utility	90	4,100	0.02	5,500	0.02	9,800	0.01	17,700	0.01	45,700	0.00	0	0
<b>Subtotal:</b>	<b>1,330</b>		<b>0.64</b>		<b>0.49</b>		<b>0.49</b>		<b>0.48</b>		<b>0.48</b>		<b>0.27</b>
<b>Building # 21</b>													
Office with Carpet Floor	747	9,600	0.08	18,200	0.04	32,000	0.02	53,000	0.01	87,000	0.01	64,336	0.01
Public (Circulation) Area with Carpeted Floors	1,101	17,700	0.06	40,400	0.03	53,500	0.02	80,900	0.01	93,600	0.01	56,143	0.02
Washroom	104	2,000	0.05	2,600	0.04	2,600	0.04	2,600	0.04	2,600	0.04	5,980	0.02
Cafeteria with Hard Floor	180	11,200	0.02	16,400	0.01	16,400	0.01	16,400	0.01	16,400	0.01	41,420	0.00
Utility	77	4,100	0.02	5,500	0.01	9,800	0.01	17,700	0.00	45,700	0.00	0	0
<b>Subtotal:</b>	<b>2,209</b>		<b>0.23</b>		<b>0.13</b>		<b>0.10</b>		<b>0.08</b>		<b>0.07</b>		<b>0.05</b>

Cleaning Space Category	Total cleanable sq.ft.	LEVEL 1		LEVEL 2		LEVEL 3		LEVEL 4		LEVEL 5		SMCCCD LEVEL (40 Custodians)	
		Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.	Sq. Ft. per Custodian per 420-Min Shift	# cust.
<b>Building # 22</b>													
Public(Circulation) with Hard Floor	706	4,300	0.16	20,500	0.03	30,500	0.02	38,400	0.02	41,800	0.02	44,056	0.02
Locker/Changing Room Not Including Shower	401	8,500	0.05	12,100	0.03	12,100	0.03	12,100	0.03	45,600	0.01	46,068	0.01
Washroom	292	2,000	0.15	2,600	0.11	2,600	0.11	2,600	0.11	2,600	0.11	5,980	0.05
Utility	4,506	4,100	1.10	5,500	0.82	9,800	0.46	17,700	0.25	45,700	0.10	0	0
<b>Subtotal:</b>	<b>5,905</b>		<b>1.25</b>		<b>0.93</b>		<b>0.57</b>		<b>0.37</b>		<b>0.21</b>		<b>0.05</b>
<b>Building # 23 &amp; 24</b>													
Utility	7,917	4,100	1.93	5,500	1.44	9,800	0.81	17,700	0.45	45,700	0.17	0	0
<b>Subtotal:</b>	<b>7,917</b>		<b>1.93</b>		<b>1.44</b>		<b>0.81</b>		<b>0.45</b>		<b>0.17</b>		<b>0.00</b>
<b>Bldgs 3A thru E</b>													
Classroom with Carpeted Floor - Heavy Use	0	5,100	0.00	12,700	0.00	13,400	0.00	17,900	0.00	18,800	0.00	51,772	0.00
Office with Carpet Floor	2,064	9,600	0.22	18,200	0.11	32,000	0.06	53,000	0.04	87,000	0.02	64,336	0.03
Classroom with Hard Floor	5,102	8,500	0.60	16,700	0.31	26,500	0.19	39,500	0.13	45,600	0.11	59,022	0.09
Washroom	100	2,000	0.05	2,600	0.04	2,600	0.04	2,600	0.04	2,600	0.04	5,980	0.02
Utility	45	4,100	0.01	5,500	0.01	9,800	0.00	17,700	0.00	45,700	0.00	0	0
Classroom with Hard Floor - Heavy Use	0	4,700	0.00	9,600	0.00	10,100	0.00	21,000	0.00	22,900	0.00	40,143	0.00
<b>Subtotal:</b>	<b>7,311</b>		<b>0.88</b>		<b>0.47</b>		<b>0.30</b>		<b>0.00</b>		<b>0.18</b>		<b>0.14</b>
<b>Skyline TOTAL</b>	<b>475,623</b>		<b>88</b>		<b>45</b>		<b>37</b>		<b>26</b>		<b>23</b>		<b>12</b>
% Non-Cleaning Tasks (NCT) and Leaves and Absences (L&A) Total Hrs	38%		33.61		17.01		14.15		10.03		8.88		4.72
<b>Grand Total (Cleaning/NCT/L&amp;A)</b>			<b>121.59</b>		<b>61.55</b>		<b>51.21</b>		<b>36.30</b>		<b>32.15</b>		<b>17.06</b>

NOTE: This information is subject to change due to unforeseen circumstances, local conditions, and unscheduled service requests.