




101 END OF CURB DETAIL
SCALE 1/4"=1'-0"




102 TRANSITION CURB TO GUTTER
SCALE 1/4"=1'-0"




103 ROLL TYPE GUTTER DETAIL
SCALE 1/4"=1'-0"




104 CURB & GUTTER DETAIL
SCALE 1/4"=1'-0"




105 VERTICAL CURB DETAIL
SCALE 1/4"=1'-0"



106 ASPHALT CURB DETAIL
SCALE 1/4"=1'-0"




107 ROAD PAVEMENT DETAIL (BOREL ST.)
SCALE 1/4"=1'-0"




108 TYPICAL 2' CONCRETE GUTTER
SCALE 1/4"=1'-0"




109 HEADER DETAIL
SCALE 1/4"=1'-0"




110 PAINTED PARKING ARROW
SCALE 1 1/2"=1'-0"




111 CONCRETE DRAIN 40"x34"
SCALE 1/4"=1'-0"




112 EARTH SWALE DETAIL
SCALE 1/4"=1'-0"




113 TYPICAL PLANTING ISLAND
SCALE 1/4"=1'-0"




114 TYPICAL 90° PARKING W/ TIRE STOPS
SCALE 1/8"=1'-0"




115 CONCRETE PARKING BAR
NO SCALE




116 PAVING DETAILS EXPOSED AGGREGATE
SCALE 1/4"=1'-0"




117 OUTFALL SECTION & PLAN
SCALE 1/4"=1'-0"



CONCRETE SIDEWALK EXPANSION
SCALE 1"=30'



LEGEND:



GENERAL NOTES:

1. ALL UNDERGROUND UNDER CONCRETE SHALL BE 1 1/2" PLASTIC IF AVAILABLE OTHERWISE "PVC"
2. THE EXACT LOCATION OF ALL LUMINAIRE FIXTURES SHALL BE AS SHOWN BY THE ARCHITECT
3. CIRCUIT NUMBERS & PHASE DESIGNATIONS CORRESPOND WITH THOSE ON EXISTING CONCRETS
4. PROVIDE PLUMB SQUARES ON SPITS OR SPICELY SEE AS NOTED, VERTICALITY C/A, 1/4"=1'-0"
5. ALL SPITS @ UNLESS NOTED OTHERWISE
6. AT THE CONTRACTOR'S OPTION, FURNISH 2" DIA. 1/2" WALL THICKNESS CONCRETE FOR REINFORCED CONCRETE CONDUITS

REVISION #1
8 NOVEMBER 1963