



SHEATHING / PLYWOOD SPECIFICATION

DIVISION OF THE STATE ARCHITECT

- ALL STRUCTURAL PLYWOOD SHALL BE MANUFACTURED TO PRODUCT STANDARD DOC P5-1 AND INSPECTED AND GRADE MARKED AT THE MILL BY AN APPROVED QUALITY CONTROL AGENCY SUCH AS APA OR TECO.
- ROOF SHEATHING SHALL BE 4" x 8" x 15/32" GRADE MARKED 32/16 SPAN INDEX, EXP. I OR 19/32" GRADE MARKED 40/20 SPAN INDEX, EXP. I
- FLOOR SHEATHING SHALL BE 4" x 8" x 1-1/8" T & G APA OR TECO RATED UNDERLAYMENT GRADE STURD-I-FLOOR OR EQUAL, SPAN RATING = 48"
- WALL SHEATHING SHALL BE 3/8" HARDBOARD SIDING APA EXTERIOR TYPE 303 GROUP II M.D.O., EXTERIOR GROUP II, OR OPTIONAL 5/8" TI-II APA EXTERIOR SIDING.
- SEE FASTENER SCHEDULE, "S3" SHEETS.

CONFIDENTIAL MATERIAL - THESE DOCUMENTS ARE THE PROPERTY OF AND ARE NOT TO BE REPRODUCED OR DISTRIBUTED WITHOUT FULL KNOWLEDGE AND WRITTEN CONSENT FROM ENVIROPLEX, INC. © COPYRIGHT ENVIROPLEX, INC. (ALL DRAWINGS PREPARED BY ENVIROPLEX, INC.)

ENVIROPLEX, INC.
4777 E. CARPENTER ROAD STOCKTON, CA 95215, (209) 466-8000

REGISTERED PROFESSIONAL ENGINEER
No. S2030
Exp. 9/30/15
STATE OF CALIFORNIA

THESE DRAWINGS ARE PRELIMINARY AND NOT FOR CONSTRUCTION UNLESS STAMPED & SIGNED BY THE ENGINEER OF RECORD.

RELOCATABLE RESTROOM BUILDINGS
FOR LA CANADA COLLEGE
SAI MATEO COMMUNITY COLLEGE DISTRICT

VARIABLE SLOPE ROOF, CEILING, FLOOR FRAMING PLANS, STRUCTURAL STEEL PROPERTIES NOTES

REV / DATE:	
JOB No.:	12-19
DRAWN BY:	JM
DATE:	07-18-12
THIS MODULAR BLDG. HAS BEEN ENGINEERED BY A REGISTERED STRUCTURAL ENGINEER AND PREVIOUSLY REVIEWED & APPROVED BY THE DIVISION OF THE STATE ARCHITECT, FIRE & LIFE SAFETY AND ACCESS COMPLIANCE SECTION	

ICAD/Projects/2012/12-000 - LA Canada - (1) 12x40 Restroom-storage/Drawings/LA Canada - S2D.dwg, 8/16/2012 10:41:48 AM